



Certificate of Analysis (CoA)

UAL Laboratories
27-2500 Williams Parkway
Brampton,
ON Canada L6S 5M9
Phone# 437-900-6688
Fax# 905-458-0488
www.ualinc.com

COA ID:

CoA-25-00536

Issued Date: **Mar-31-2025**

Invoice# **03192504**

Sample Lot No.:

CYNZ-C-A334790

STN #: **2500536**

CYN2-C-4554750

Client Details		Product Details	
Client Name:		Material/Product:	Turkey Tail Extract 20:1
Client No.:		Comments:	N/A
Contact Person:		Storage Condition:	Room Temperature
Address:		Stability Time Point:	N/A
		Sample Received Date:	Mar/19/2025

The undersigned hereby certifies the following data to be a true specification of the obtained results of tests and assays.

Test	Method	Specification	Results
Identification	Current USP<197K>	The FTIR spectrum obtained from the sample exhibits major absorption bands only at the same wavelength as the spectrum of the standard.	Conforms
Total Plate Count	Current USP<2021>	<10000 CFU/g	65 CFU/g
Yeast & Mold	Current USP<2021>	<1000 CFU/g	20 CFU/g
E. Coli	Current USP<2022>	Negative	Absent
Salmonella Spp.	Current USP<2022>	Negative	Absent
S. aureus	Current USP<2022>	Negative	Absent
Arsenic	ICP-001	≤2 ppm	0.885 ppm

Cadmium	ICP-001	≤ 1 ppm	0 ppm
Lead	ICP-001	≤ 3 ppm	0 ppm
Total Mercury	ICP-001	≤ 0.1 ppm	0 ppm
Total Heavy Metal	ICP-001	≤ 10 ppm	0.885 ppm

COA

- For any technical and administrative queries, kindly do not hesitate to contact: Manpreet.singh@ualinc.com

Prepared By: Manpreet Singh
Date: Mar 31/2025

Approved By:
Date:


 Manpreet Singh