

Certificate of Analysis (CoA)

UAL Laboratories
27-2500 Williams Parkway
Brampton,
ON Canada L6S 5M9
Phone# 437-900-6688
Fax# 905-458-0488
www.ualinc.com

COA ID:
CoA-25-01304

Issued Date: **Jun-05-2025**
Invoice# **05262503**

Sample Lot No.:
CA00103

STN #: **2501304**

Client Details		Product Details	
Client Name:		Material/Product:	URSA Mushroom Complex Gummy, Coffee Flavor
Client No.:		Comments:	N/A
Contact Person:		Storage Condition:	Room Temperature
Address:		Stability Time Point:	N/A
		Sample Received Date:	May/26/2025

The undersigned hereby certifies the following data to be true specification of the obtained results of tests and assays.

Test	Method	Specification	Results
Total Plate Count	Current USP<2021>	<10,000 CFU/g	95 CFU/g
Yeast & Mold	Current USP<2021>	<100 CFU/g	<10 CFU/g
E. coli	Current USP<2022>	Negative	Negative
Salmonella spp.	Current USP<2022>	Negative	Negative
S. aureus	Current USP<2022>	Negative	Negative
Arsenic	ICP-001	≤1.563 ppm	0.762 ppm
Cadmium	ICP-001	≤0.938 ppm	0.012 ppm
Lead	ICP-001	≤1.563 ppm	0.326 ppm

Total Mercury	ICP-001	≤ 3.125 ppm	0.339 ppm
---------------	---------	------------------	-----------

COA

- For any technical and administrative queries, kindly do not hesitate to contact Manpreet.singh@ualinc.com

Prepared By: Manpreet Singh
Date: Jun/05/2025

Approved By:
Date:


Manpreet Singh

Page: 02 of 02