

Certificate of Analysis (CoA)

UAL Laboratories
27-2500 Williams Parkway
Brampton,
ON Canada L6S 5M9
Phone# 437-900-6688
Fax# 905-458-0488
www.ualinc.com

COA ID:
CoA-25-01305

Issued Date: **Jun-05-2025**
Invoice# **05262503**

Sample Lot No.:
CA00104

STN #: **2501305**

Client Details		Product Details	
Client Name:		Material/Product:	URSA Mushroom Complex Gummy, Mixed Berry Flavor
Client No.:		Comments:	N/A
Contact Person:		Storage Condition:	Room Temperature
Address:		Stability Time Point:	N/A
		Sample Received Date:	May/26/2025

The undersigned hereby certifies that the above is a true specification of the obtained results of tests and assays.

Test	Method	Specification	Results
Total Plate Count	Current USP<2021>	<10,000 CFU/g	215 CFU/g
Yeast & Mold	Current USP<2021>	<100 CFU/g	<10 CFU/g
E. coli	Current USP<2022>	Negative	Negative
Salmonella spp.	Current USP<2022>	Negative	Negative
S. aureus	Current USP<2022>	Negative	Negative
Arsenic	ICP-001	≤1.563 ppm	0.590 ppm
Cadmium	ICP-001	≤0.938 ppm	0.008 ppm
Lead	ICP-001	≤1.563 ppm	0 ppm

Total Mercury	ICP-001	≤ 3.125 ppm	0.422 ppm
---------------	---------	------------------	-----------

COA

- For any technical and administrative queries, kindly do not hesitate to contact: Manpreet.singh@ualinc.com

Prepared By: Manpreet-Singh
Date: June 15/2021

Approved By:
Date:

CS
June 15/2021

Page: 02 of 02